



m.	2.00	3.50	4.60
Kg	334	155	100



m.	2.00	4.00	5.00
Kg	1250	550	380



m.	2.10	5.00	6.40
Kg	1600	600	400



m.	2.10	5.40	7.20
Kg	2300	850	600



m.	2.00	6.00	7.50
Kg	3600	1000	760



m.	2.00	6.00	8.50
Kg	6800	2000	1350



m.	2.00	6.00	10.50
Kg	9700	2900	1400



m.	3.00	7.00	11.00
Kg	8100	3000	1600



m.	2.00	6.00	10.00
Kg	17000	5000	2600

# A BRACCIO TELESCOPICO • TELESCOPIC BOOM RANGE

# VVMT



<b>m.</b>	<b>2.00</b>	<b>7.65</b>	<b>11.35</b>
<b>Kg</b>	<b>22000</b>	<b>5200</b>	<b>3400</b>



<b>m.</b>	<b>4.00</b>	<b>8.00</b>	<b>12.00</b>
<b>Kg</b>	<b>14500</b>	<b>6500</b>	<b>4000</b>



<b>m.</b>	<b>4.00</b>	<b>8.00</b>	<b>12.00</b>
<b>Kg</b>	<b>20000</b>	<b>9700</b>	<b>6000</b>



<b>m.</b>	<b>4.00</b>	<b>10.00</b>	<b>16.00</b>	<b>22.00</b>
<b>Kg</b>	<b>20500</b>	<b>7500</b>	<b>4100</b>	<b>2500</b>



<b>m.</b>	<b>3.00</b>	<b>9.00</b>	<b>15.00</b>
<b>Kg</b>	<b>30000</b>	<b>9250</b>	<b>4900</b>



<b>m.</b>	<b>4.00</b>	<b>10.00</b>	<b>16.00</b>
<b>Kg</b>	<b>29000</b>	<b>10000</b>	<b>6000</b>



<b>m.</b>	<b>4.00</b>	<b>10.00</b>	<b>16.00</b>
<b>Kg</b>	<b>35600</b>	<b>12700</b>	<b>7000</b>



<b>m.</b>	<b>4.00</b>	<b>10.00</b>	<b>16.00</b>	<b>20.00</b>
<b>Kg</b>	<b>47200</b>	<b>16700</b>	<b>9000</b>	<b>6500</b>

N.B. I dati riportati in questa scheda sono da ritenersi indicativi. Il costruttore si riserva in qualunque momento di apportare modifiche.  
We reserve the right to change design and specification without prior notice.

